Bibliography

[1] Al, Kordy. M. A. A., Abou, El. Nasr.T. H. S. and Mahfouze, S. A. (2013). Assessing phenotypic and molecular variability in coriander (Coriandrum sativum L.) cultivars. *J. Appl. Sci. Res.***9**(6): 3880-3889

[2] Arif, A. (2014). Evaluation of coriander (Coriandrum sativum L.) genotypes in hill zone of Karnataka. *Asian J. Hortic*. **9**(1): 174-177

[3] Arif, M., Khurshid, H. and Khan, S. A. (2014). Genetic Structure and Green Leaf Performance Evaluation of Geographically Diverse Population of Coriander (*Coriandrum Sativum* L.).*Eur. Acad. Res.***2**(3)

[4] Beemnet, M and Getinet, A (2010). Variability in Ethiopian coriander accessions for agronomic and quality traits. *Afr. Crop. Sci. J*. **18**(2): 43-49

[5] Beena, Nair., Sengupta, S. K., Singh, K. P., Naidu, A. K.(2013) Association and path co-efficient analysis among seed yield and it's components in coriander (Coriandrum sativum L.). *Asian J. Hortic*.**8**(2): 403-408

[6] Bertini, C. H. de. M., Pinheiro, E. A. R., Nobrega, G. N and Duarte, J. M. de. L. (2010) Agronomic performance and genetic divergence of coriander genotypes. Revista Ciencia Agronomica. **41**(3): 409-416

[7] Bhandari, M. M., Adarsh, G. (1993). Association analysis in coriander. *Indian J. Genet. and Plant Breed*. **53**(1): 66-70

[8] Burton, G.W. (1952). Quantitative inheritance in grasses. *Proc. 6th Int. Grassld Cong*. 1:277-283.

[9] Chadwick, J. (1976).*The Mycenaean World*. Cambridge University Press, Cambridge: 119.

[10] Chaulagain, R., Pant.S.S., Thapa, R.B., and Sharma, M.D. (2011). Performance of coriander cultivars for green leaf production under late sowing condition.*J. Agri. and Environ*. **12**

[11] Daniel Zohary and Maria Hopf. (2000). Domestication of plants in the Old World, third edition (Oxford: University Press): 206.

[12] Datta, S. (2006). Evaluation of coriander (Coriandrum sativum L) genotypes for growth and yield under new alluvial zone of West Bengal. *Environ. and Ecol*. **24**(3): 690-692

ISBN: 978-93-85822-48-3

[13] Datta, S. and Choudhuri, P. (2006). Evaluation of coriander germplasm under terai zone of West Bengal. *Haryana J. Hortic. Sci*. **35**(3/4): 348-349

[14] Delaquis, P.J., Stanich, K., Girard, B. and Mazza, G. (2002). Antimicrobial activity of individual and mixed fractions of dill, cilantro, coriander and eucalyptus essential oils. *Int.J. Food Microbiol.* **74**:101–109.

[15] Dewey, D.R and Lu, K.H. (1959). A correlation and path coefficient analysis of components of crested wheat grass seed production. *Agron. J.***57**: 515-518.

[16] Diederichsen, A. (1996 a). Coriander (*Coriandrum sativum* L.*)* promoting the conservation and use of underutilized and neglected crops, 3. Institute of Plant Genetics and Crop Plant Research, Gatersleben/International Plant Genetic Resources Institute, Rome : 1-82.

[17] Diederichsen, A. (1996).Coriander (*Coriandrum sativum* L). Promoting the conservation and use of underutilized and neglected crops. 3. Institute of Plant Genetics and Crop Plant Research, Gaterslbebn/ International Plant Genetic Resources Institute, Rome, Italy: 83.

[18] Doshi, V., Verma, P. and Khan, P.U. (2014). Comparative analysis of coriander (*Coriandrum sativum* L.) varieties for quality Traits.*J. Rural. and Agric. Res.* **14** (2): 57-58

[19] Dubley, J.W. and Moll, R.H. (1969).Interpretation and use of estimates of heritability and genetic variances in plant breeding. *Crop. Sci.* **9**:257-262.

[20] Dyulgerov, N and Dyulgerova, B. (2013). Genetic divergence among accesions of coriander (Coriandrum sativum L.). *Agric. Sci. and Technol*. **5**(1): 13-15

[21] Dyulgerov, N. and Dyulgerova, B. (2014). Heritability and correlation coefficient analysis for fruit yield and its components in Coriander (*Coriandrum sativum* l.).*Turkish J. Agric. and Nat. Sci*. (1)

[22] Ebrahimia, S. N., Hadian, J. and Ranjbar, H.(2010). Essential oil compositions of different accessions of *Coriandrumsativum* L. from Iran *Nat Prod Res*.; **24**(14): 1287–1294

[23] Ensminger A.H, and Esminger, M.K.J. (1986). Food for health: A Nutrition Encyclopedia. *Clovis, California*: Pegus Press, USA.

[24] Flenner, B and Smith, S. (1983). Pioneer corn description system. *Pioneer Tech. Bull.* : 1-60.

[25] Fufa, M. (2013). Correlation studies on yield components, seed and oil yield in Coriander (*Coriandrum sativum* L.) landraces of Ethiopia *Wudpecker J. Agric. Res.* **2**(10) : 277 - 279

[26] Fufa, M. (2013). Genetic Divergence in Ethiopian Coriander (*Coriandrum sativum* L.).*Adv Crop. Sci. Tech.* **1**: 4

[27] Giridhar, K., Kumari, S.S., Rajani, A., Sarada, C and Naidu, N (2014). Identification of potential genotypes of coriander (*Coriandrum sativum* L.) suitable for rainfed vertisols. *Appl. Biol. Res*. **16**(2): 00-00

ISBN: 978-93-85822-48-3

[28] Gurbuz, B. (2001). Correlation and path analysis among yield components in winter resistant coriander (Coriandrum sativum) lines. *Indian J. Agric. Sci*. **71**(11): 730-732

[29] Hedburg, I and Hedburg, O. (2003). Flora of Ethiopia and Eritrea Apiaceae to Dipsacaceae.Hedeger,I.,S. Edwards and Sileshi Nemomsa (Eds.), Uppsala, Sweden. **4**(1): 352.

[30] Hiwale, B. G., Dhokle, G. C., Naik, P. G., Phad, G. N., Suryawanshi, A. B. (2009).Performance of different varieties of coriander for growth and yield under Marathwada conditions. *Asian J. Hortic*. **4**(2): 455-457

[31] Holland, B., Unwin, I.D. and Buss, D.H. (1991). Vegetables, Herbs and Spices. 4th ed. Cambridge, UK: 163.

[32] Jackson, M.L. (1973). Soil chemical analysis. Prentice Hall of India Pvt. Ltd., New Delhi: 497-503.

[33] Jain, U. K., Singh, D and Amrita. (2003). Correlation and path analysis for certain metric traits in coriander. *Progress. Agric*. **3**(1/2): 86-88

[34] Kalra, A., Patra, N. K., Singh, H. P., Singh, H. B., Mengi, N., Naqvi, A. A. and Kumar, S. (1999). Evaluation of coriander (*Coriandrum sativum*L.) collection for essential oil. *Indian J. Agric. Sci*. **69**(9): 657-659

[35] Kubo, I., Fujita, K., Kubo, A., Nithei, K. and Ogura, T.(2004). Antibacterial activity of coriander volatile compounds against *Salmonella Choleraesuis. J. Agric. and Food Chem.***52** (1): 3329-3332

[36] Lush, J.L. (1943). Intra-sire, correlations and regression of offspring on dam as a method of estimating heritability of characters. *Proc. Amer. Soc. Animal Prod*., **33**:293-301.

[37] Mahalanobis P.C. (1936). *Proc. Nat. Inst. of Sci. India* 2: 49-55.

[38] Malik,T.P and Tehlan,S.K (2013). Performance of coriander (*Coriandrum sativum* L.) varieties for growth and seed yield *Int. J. Seed Spices.***3**(2):89-90

[39] Mandal, A. R. And Hazra, P. (1993) Correlation and path coefficient analysis in coriander. *Madras Agric. J*. **80**(7): 361-363

[40] Maurya, K.R. (1989). Growth, Yield and Quality component in coriander genotypes. *Indian J. Horti.* 46(1):107-110

[41] Meena, M. L., Kumar, V., Kumar, S., Yadav, Y.C. and Kumar, A. (2010). Genetic variability, heritability, genetic advance, correlation coefficient and path analysis in coriander *Indian J. Hortic.* 67: 242-246

[42] Meena, Y. K., Kale, V.S and Meena, O.P. (2014) Correlation coefficient and Path analysis in Coriander. *Int. J. Sci. and Res. Publ*. **4**(6)

[43] Meena,R.S., Kakani, R.K., Choudhary,S., Singh,B and Panwar, A. (2014). Genetic Diversity Analysis in Coriander (*Coriandrum Sativum*L.) Varieties.*Indian J. Agric. Sci.* 84 (12)

[44] Meena,Y.K., Jadhao, B.J. and Kale, V.S. (2014). Genetic Analysis Of Agronomic Traits In Coriander. *Sabrao J. Breed. and Genet.* **46** (2): 265-273

ISBN: 978-93-85822-48-3

[45] Mengesha, B., Alemaw, G. and Tesfaye, B. (2011).Genetic divergence in Ethiopian coriander accessions and its implication in breeding of desired plant types. *Afri. Crop. Sci. J.***19**(1): 39 - 47

[46] Moniruzzaman, M., Rahman, M. M., Hossain, M. M., Karim, A. J. M. S. and Khaliq, Q.A. (2013). Evaluation of coriander (*Coriandrum sativum* L.) genotypes for seed yield and yield contributing characters. *Bangladesh J. Agric Res*. **38**(2): 189-202

[47] Phurailatpam, A.K,. Geetha,K.A., Meena, R. S and Maiti,S (2016). Evaluation of coriander (*Coriandrum sativum* L.) cultivars for yield and yield contributing characters in Gujarat *J. Spices and Aromat. Crops*.**25** (1): 7-12

[48] Piper, C.S. (1966). Mechanical analysis. Soil and Plant analysis (Reprint for Asia,1966), Hans Publishers, Bombay:47-79.

[49] Rahman,M.A., (2000).Morphological characters and yield potential of different coriander genotypes. Dept. of Hort. MSc. thesis. Bangabandhu Sheikh Mujibur Rahman Agricultural University (BSMRAU), Gazipur: 53

[50] Rajagopalan, A., Manavalan, R. S. A and Khader, M. D. A.(1996). Evaluation of coriander cultivars for yield and quality. *Indian Cocoa Arecanut and Spices J*. **20**(1): 13-14

[51] Rajput, S.S and Singh, D.(2003). Variability in coriander *(Coriandrum sativun1* L.) for yield and yield components. *J. Spices and Aromat. Crops*. **12** (2): 162-164

[52] Rao, C.R. (1952). Advanced statistical methods in biometric research. John Wiley and Sons, New York 351-378

[53] Sanker, K. B and Khader, M. A . (1991). Studies on genetic variability in coriander. *South Indian Hortic*. **39**(5): 312-314

[54] Sarada, C., Giridhar, K. (2009) Elite genotypes of coriander suitable for rain fed cultivation in Andhra Pradesh. *Ann. Plant Physiol*. **23**(2): 174-176

[55] Saxena, S.N., Sharma, Y. K., Rathore, S. S., Singh, K. K., Barnwal, P., Saxena, R. Upadhyaya, P. and Anwer, M. M. (2015). Effect of cryogenic grinding on volatile oil, oleoresin content and anti-oxidant properties of coriander (Coriandrum sativum L.) genotypes.*J. Food Sci. Technol.***52**(1):568–573

[56] Sharma , K. C and Sharma, R. K. (1989). Variation and character associations of grain yield and its component characters in coriander.*Indian J. Genet.* **49**(1): 135-139

[57] Shridar., Sulikeri, G. S., Madalageri, B.B. (1990) Genetic variability in coriander (Coriandrum sativum L.). *Karnataka J. Agric. Sci*. **3**(3-4): 266-269

[58] Singh S. P., Katiyar, R. S., Rai, S. K., Tripathi, S.M. and Srivastva, J. P. (2005): Genetic divergence and its implication in breeding of desired plant type in coriander *(Coriandrum sativum L.)*. *Genetika*. **37**(2): 155-163.

[59] Singh, H. P., Patra, N. K., Kalra, A., Singh, H. B., Kumar, B., Singh, S. P. & Singh, A.K (2002).Genetic distance in coriander *(Coriandrum sativum* L.) for essential oil yield and yield traits*J. Spices and Aromat. Crops.* **11** (2): 101-105

ISBN: 978-93-85822-48-3

[60] Singh, S. K., Singh, S. J., Singh, D., Tripathi, S. M. (2011). Association analysis in elite germplasm lines in coriander (*Coriandrum sativum* L.). *Ann. Hort*. **4**(2): 187-192

[61] Singh, S. K., Kakani, R. K., Meena, R. S., Pancholy, A., Pathak, R., Raturi, A. (2012). Studies on genetic divergence among Indian varieties of spice herb, Coriandrum sativum

[62] Singh, S. K., Singh, S. J., Singh, D and Tripathi, S. M. (2011) Association analysis in elite germplasm lines in coriander (*Coriandrum sativum* L.). *Ann. Hort*. **4**(2): 187-192

[63] Singh, S. P., Prasad, R and Singh, D. (2006) Variability and character association of grain yield and its component character in coriander. *J. Appl. Biosci*. **32**(1): 64-67

[64] Singh, S. P., Prasad, R. (2006). Genetic variability and path analysis on coriander. *J. Appl. Biosci*.**32**(1): 27-31

[65] Spice Board (2015) Spice wise area and production. http://indianspices.com/sites/default/files/Major-spice-state-wise-area-production-web-2015.pdf. (Accessed on 22nd December,2015)

[66] Spice board (2015). Major item country wise export of spices from india.http://indianspices.com/sites/default/files/Major-spice-country-wise-export-spices-web-2015.pdf. (Accessed on 22nd December, 2015)

[67] Tehlan, S. K., Thakral, K. K., Nandal, J. K. And Mehla, C. P. (2009). Screening of coriander accessions for growth and seed yield. *Haryana J. Hortic. Sci*. **38**(1/2): 115-116

[68] Thamburaj and Singh, N. (2004). Vegetables and tuber crops and spice, Published by Directorate of information and publication of Agriculture (ICAR), New Delhi: 372-73

[69] Tomar, R. S., Kulkarni, G. U., Parakhia, M. V., Thakkar, J. R., Rathod, V. M., Solanki, R. K. and Golakiya, B. A. (2014). Genetic diversity analysis in coriander (*Coriandrum sativum* L.) genotype through morphological and molecular characterization. *Res. J. Biotech*. **9**(3)

[70] Tripathi, S. M., Kamaluddin., Srivasttava, S. B. L., Srivastava, J. P.(2000).Variability, heritability and correlation studies in coriander (*Coriandrum sativum* L.). Spices and aromatic plants challenges and opportunities in the new century Contributory papers.*Centennial conference on spices and aromatic plants*, Calicut, Kerala, India, 20-23 September, 2000: 30-34

[71] Vijayalatha, K. R and Chezhiyan, N. (2004) Correlation and path analysis studies in coriander (Coriandrum sativum L.). *South Indian Hortic*. **52**(1/6): 248-251

ISBN: 978-93-85822-48-3